

+

UTILITY  
PATENT APPLICATION  
TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. GEOC.P0003D2

First Named Inventor: Shimomura, et al.

Title: A Broadband Data Broadcasting Service

Express Mail Label No. EL552915776US

## CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Express Mail Label No.: EL552915776US

Date of Deposit: April 27, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Dag Johansen

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

## ADDRESS TO:

Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

1. ☐ Fee Transmittal Form  
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification -- Total Pages 45 --  
Including:  
- Title page  
- Background of the Invention  
- Brief Summary of the Invention  
- Brief Description of the Drawings  
- Detailed Description  
- Claim(s)  
- Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) -- Total Sheets 13 --
4. ☒ Oath or Declaration (unsigned) -- Total Pages 16 --  
a. ☐ Newly executed (original or copy)  
b. ☒ Copy from a prior application (37 CFR 1.63(d)  
(for continuation/divisional with Box 17 completed)  
[Note Box 5 below]  
i. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in  
the prior application, see 37 CFR 1.63(d)(2) and 1.33(b)
5. ☒ Incorporation By Reference (useable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy of the  
oath or declaration is supplied under Box 4b, is considered as being  
part of the disclosure of the accompanying application and is hereby  
incorporated by reference therein

6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission  
(if applicable, all necessary)  
a. ☐ Computer Readable Copy  
b. ☐ Paper Copy (identical to computer copy)  
c. ☐ Statement verifying identity of above copies

## ACCOMPANYING APPLICATION PARTS


8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney  
(when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☒ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application,  
Status still proper and desired
15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☒ Divisional ☐ Continuation-in-part (CIP) of prior application No: 09/293,594

## 18. CORRESPONDENCE ADDRESS

Dag Johansen, Esq.  
GEOCAST NETWORK SYSTEMS, INC.  
190 Independence Drive  
Menlo Park, California 94025  
Telephone: (650) 566-3214  
Facsimile: (650) 566-8112

Name	Dag Johansen	Registration Number:	36,172
Signature		Date:	April 27, 2000

**CERTIFICATE OF MAILING BY "EXPRESS MAIL"**

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on April 27, 2000 with Express Mail label number EL552915776US and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

  
Dag Johansen

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In the application of:

Shimomura, et al.

Serial No.: <not yet assigned>

Filing Date: <not yet assigned>

For: **A Broadband Data Broadcasting Service**

Examiner: <not yet assigned>

Group Art Unit: <not yet assigned>

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Dear Sir:

The Applicants received a restriction requirement dated January 1, 2000 for the parent application. In a response to the restriction requirement, the Applicants elected claim Group I. The above-identified divisional patent application has been filed to obtain protection for some of the nonelected claims. This preliminary amendment for a divisional application also includes additional claims to further protect the disclosed inventions. Please amend the divisional patent applications as follows.

IN THE TITLE:

Please change the title of the application from "A Broadband Data Broadcasting Service" to --Methods and Apparatus Broadcasting Data--.

IN THE SPECIFICATION:

At the top of page 2, please add --This application is a divisional of the U.S. patent application filed on April 16, 1999 having serial number 09/293,594.--

On page 14, line 9, please replace "**Figure 2** illustrates" with --**Figures 2a** and **2b** illustrate -- in order to have the specification conform to the drawing.

On page 14, line 10, please replace the phrase "diagram of **Figure 2**," with --diagrams of **Figure 2a** and **2b**,-- in order to have the specification conform to the drawing.

On page 14, line 14, please replace "**557**" with --**257**-- in order to have the specification conform to the drawing.

On page 15, line 13, please replace "receive" with --receiver--.

On page 22, line 1; please replace "**Data Broadcast Receiver/Server Hardware**" with -- **Data Broadcast Receiver/Server Software**-- in order to have the section title conform to the section text.

IN THE CLAIMS:

Please amend the claims as follows:

Please delete claims 1 to 14

002270-129950  
09560574-04200

1                   15. (Amended)       A method of distributing data, said method  
2 comprising:  
3           broadcasting a plurality of popular multimedia streams across a broadcast  
4           medium;  
5           receiving said plurality of popular multimedia streams in data broadcast receiver  
6           system;  
7           caching a subset of said popular multimedia streams in a cache in said data  
8           broadcast receiver system;  
9           [coupling said data broadcast receiver system to a wired network;]  
10          receiving data information from said wired network [into said data broadcast  
11          receiver system]; and  
12          presenting a unified data service to a client computer system coupled to said data  
13          broadcast receiver system that comprises said subset of said popular  
14          multimedia streams cached on said receiver system and said data information  
15          received [retrieved] from said wired network.

1                   16. (Unchanged)       The method of distributing data as claimed in claim  
2 15 wherein said wired network comprises the Internet.

1                   17. (Unchanged)       The method of distributing data as claimed in claim  
2 15 wherein said data information from said wired network comprises information from an  
3 Internet portal site.

00220-42903560

1                    18. (Amended)            The method of distributing data as claimed in claim  
2    15 further comprising:  
3            receiving in said data broadcast receiver system a query from said client system;  
4            searching said cache for matching multimedia streams that match said query;  
5            [searching a server system coupled to said wired network for matching data  
6            information that matches said query;] and  
7            presenting a query response from said data broadcast receiver system to said  
8            client system that comprises said matching multimedia streams and matching  
9            data information.

1                    19. (Unchanged)            The method of claim 15 further comprising:  
2            encrypting each digital information stream.

1                    20. (Unchanged)            A data broadcast system, said data broadcast system  
2    comprising:  
3            An MPEG-2 transport stream based data broadcast control center, said MPEG-2  
4            transport stream based data broadcast control center creating a MPEG-2  
5            transport stream based data broadcast stream;  
6            Digital cable television based data broadcast receiver for receiving said MPEG-2  
7            transport stream in digital cable television markets; and

8 An ATSC terrestrial digital television broadcast based data broadcast receiver for  
9 receiving said MPEG-2 transport stream in ATSC terrestrial digital television  
10 broadcast markets.

1 21. (Unchanged) The data broadcast system of distributing data as  
2 claimed in claim 20 further comprising:  
3 a direct video broadcast satellite based data broadcast receiver for receiving said  
4 MPEG-2 transport stream in direct video broadcast satellite markets.

Please add the following claims

1 22. (Added) A method of broadcasting data, said method comprising:  
2 accepting a plurality of popular multimedia streams from a plurality of content  
3 providers;  
4 multiplexing said plurality of popular multimedia streams from said plurality of  
5 content providers to create a multiplexed stream;  
6 broadcasting multiplexed streams to a plurality of regional broadcasters;  
7 multiplexing in additional regional multimedia streams at a regional broadcaster  
8 site to create a regional multiplexed stream; and  
9 broadcasting said regional multiplexed stream to a plurality of receiver systems.

1                   23. (Added) The method of claim 22 wherein said regional multimedia  
2 streams comprises regional advertising.

1                   24. (Added) The method of claim 22 wherein said regional multimedia  
2 streams comprises regional news.

1                   25. (Added) A method of handling data broadcasts, said method  
2 comprising:  
3                   accepting a multiplexed data broadcasting signal in a receiver system, said  
4                   multiplexed data broadcasting signal comprising a plurality of popular  
5                   multimedia streams;  
6                   caching a subset of said plurality of popular multimedia streams onto permanent  
7                   storage in said receiver system; and  
8                   simultaneously routing data from at least one of said plurality of popular  
9                   multimedia streams across a data interface of said receiver system.

1                   26. (Added) The method of claim 25 further comprising:  
2                   accepting, in said receiver system, a query from a client system;  
3                   searching said permanent storage in said receiver system for data that match said  
4                   query;

5 presenting a query response from said receiver system to said client system that  
6 comprises said matching data information.

1 27. (Added) The method of claim 25 wherein said data from at least one  
2 of said plurality of popular multimedia streams comprises compressed video.

1 28. (Added) The method of claim 25 wherein said data from at least one  
2 of said data interface of said receiver system comprises an Ethernet interface.

1 29. (Added) The method of claim 25 wherein said data from at least one  
2 of said data interface of said receiver system comprises a Universal Serial Bus interface.

1 30. (Added) The method of claim 25 wherein said data from at least one  
2 of said data interface of said receiver system comprises a Universal Serial Bus interface.

1 31. (Added) A data receiver system, said system comprising:  
2 a front-end for receiving a multiplexed data broadcasting signal in a receiver  
3 system, said multiplexed data broadcasting signal comprising a plurality of  
4 popular multimedia streams;



5 a processor for processing said multiplexed data broadcasting signal;  
6 a caching program module, said caching program module caching a subset of said  
7 plurality of popular multimedia streams onto permanent storage in said  
8 receiver system; and  
9 a routing program module, said routing program module simultaneously routing  
10 data from at least one of said plurality of popular multimedia streams across a  
11 data interface of said receiver system.

002240-42903550  
1 32. (Added) The method of claim 32 further comprising:  
2 accepting, in said receiver system, a query from a client system;  
3 searching said permanent storage in said receiver system for data that match said  
4 query;  
5 presenting a query response from said receiver system to said client system that  
6 comprises said matching data information.

1 33. (Added) The system of claim 32 wherein said data from at least one  
2 of said plurality of popular multimedia streams comprises compressed video.

1 34. (Added) The system of claim 32 wherein said data from at least one  
2 of said data interface of said receiver system comprises an Ethernet interface.

1                    35. (Added)    The system of claim 32 wherein said data from at least one  
2    of said data interface of said receiver system comprises a Universal Serial Bus interface.

1           36. (Added) The system of claim 32 wherein said data from at least one  
2   of said data interface of said receiver system comprises a Universal Serial Bus interface.

Dated: April 27, 2000

By:

Geocast Network Systems, Inc.  
190 Independence Drive  
Menlo Park, California 94025  
Telephone: (650) 566-3214  
Facsimile: (650) 566-8112

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

**A Broadband Data Broadcasting Service**

Inventors: Tsutomu Shimomura  
Steve Waltman  
Mark Peting  
Castor Fu  
Dag Johansen  
Geoff Mulligan

Prepared by:


Dag Johansen  
100 Independence Drive  
Menlo Park, CA 94025

"Express Mail" mailing label number EL164803498US

Date of Deposit 4/16/99

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Grace R. Cruz  
(Typed or printed name of person mailing paper or fee)

  
(Signature of person mailing papers or fee)

004240 12909560

# A Broadband Data Broadcasting Service

## RELATED APPLICATIONS

5           This patent application is related to a patent application entitled  
"Method and Apparatus for Broadcasting Data With Access Control" having  
Serial Number \_\_\_\_\_, filed concurrently with this application.

## FIELD OF THE INVENTION

10           The present invention relates to the field of digital communications.  
In particular the present invention discloses a broadband digital broadcast  
system for broadcasting digital information to a very large number of  
subscribers.

## BACKGROUND OF THE INVENTION

15           The Internet has become a major source of news and information  
for very large numbers of people. In particular, millions of Internet users browse  
20 the World Wide Web (WWW) to obtain HyperText Markup Language (HTML)  
documents using the HyperText Transport Protocol (HTTP). Many people now  
receive more news and information from the Internet WWW sites than from  
traditional information sources such as television. The WWW portion of the  
Internet is an excellent medium for news and information since the WWW  
25 Internet sites can provide information to users on-demand. Specifically, Internet

users can immediately request the exact information they are interested in when ever they wish from WWW Internet sites.

However, the Internet WWW system news information does suffer from a number of deficiencies. One serious problem is that the limited bandwidth of most Internet connections severely limits the amount of information delivered. Most Internet users access the Internet through a dial-up modem at speeds of 56kps per second or less. With such limited bandwidth, most Internet based WWW sites only deliver text and static images. When video information delivered through 56K Internet connections the video information is compressed so heavily such that only small low-resolution video images are delivered at a low frame rate.

To improve upon the performance of the Internet, many telecommunication providers are now offering high-bandwidth connections for the "last mile" to an Internet user's residence. Cable television providers are now offering cable modem Internet service that use cable television wiring to deliver broadband Internet service. Similarly, telephone companies are rolling out Digital Subscriber Line (DSL) services that provide broadband Internet service. Although these broadband data connections provide additional bandwidth, such broadband connections only address the "last mile" bandwidth problem associated with sending rich multi-media information across the Internet. Many other problems will continue to exist.







## SUMMARY OF THE INVENTION

The present invention discloses a broadband data broadcast system that allows rich multimedia content to be delivered to the computer and

5 information appliance systems of limitless numbers of subscribers. The broadband data broadcast system operates by multiplexing a plurality of multimedia rich digital information streams together at a centralized data broadcast center. The data broadcast center then broadcasts the multiplexed digital information stream on a broadcast medium such as satellite broadcasts,  
10 radio frequency broadcasts, or television broadcasts. A large number of receiver systems receive the broadcast signal and demodulate the broadcast signal to retrieve the multiplexed digital stream. The receiver system extracts a subset of digital information streams that the particular receiver system's owner has designated are of interest. The receiver system then output the interesting digital  
15 information streams to a display system or caches the interesting digital information stream for later access.

Other objects, features, and advantages of present invention will be apparent from the company drawings and from the following detailed  
20 description.

## BRIEF DESCRIPTION OF THE DRAWINGS

The objects, features, and advantages of the present invention will be apparent to one skilled in the art, in view of the following detailed description in which:

**Figure 1** illustrates an overview of a terrestrial data broadcast system.

**Figure 2a** illustrates an overview of a multiple broadcaster based terrestrial data broadcast system.

**Figure 2b** illustrates a block diagram of a multiple broadcaster based terrestrial data broadcast system.

**Figure 3a** illustrates a multimedia receiver/server system coupled to a personal computer system.

**Figure 3b** illustrates a multimedia receiver/server system coupled to a television set-top box system.

**Figure 3c** illustrates a multimedia receiver/server system coupled to a personal computer system that is also coupled to the Internet.

**Figure 3d** illustrates a multimedia receiver/server system coupled to a television set-top box system that is also coupled to the Internet.

**Figure 4** illustrates an embodiment of a multimedia receiver/server system coupled to a computer network such that the multimedia receiver/server system serves multiple client systems.

**Figure 5** illustrates an embodiment of a multimedia receiver/server system that receives a data broadcast from a direct video broadcast satellite.

**Figure 6a** illustrates an embodiment of a multimedia receiver/server system that receives a data broadcast on a digital television broadcaster signal.

**Figure 6b** illustrates a block diagram of a multimedia receiver/server system that receives data broadcasts from multiple digital television broadcasters.

**Figure 7** illustrates a conceptual flow diagram of one possible software architecture for a multimedia receiver/server system.

**Figure 8** illustrates a first possible screen display from a multimedia web page served by a multimedia receiver/server system.



## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A method and apparatus for a directed data broadcast system is disclosed. In the following description, for purposes of explanation, specific nomenclature is set forth to provide a thorough understanding of the present invention. However, it will be apparent to one skilled in the art that these specific details are not required in order to practice the present invention. For example, the present invention has been described with reference to Internet multicasting. However, the same techniques can easily be applied to other types of data communication protocols.

### **Overview of A Data Broadcast System**

**Figure 1** illustrates an overview of one embodiment of a data broadcast system that may incorporate the teachings of the present invention. Referring to **Figure 1**, a data broadcast control center **150** receives digital information from a number of different data origination sources **110**, **113**, and **115**.

For example, a first data origination source **110** transmits a digital information stream to a data broadcast facility **150** along a data communication channel **130**. The data origination source **110** may be any entity that provides digital information for broadcast data over a data broadcast medium. One type of entity that may provide digital information for broadcast data over a data broadcast medium may be a broadcast news studio that creates audio and/or

video news segments. The audio and/or video news segments may be digitized before or after transmission to the broadcast facility 150

5 The broadcast control center 150 processes the incoming digital information stream from data origination source 110 by adding addressing information, stream descriptor information, and error correction coding. Other stream processing operations may be performed such as encryption of the information streams. The broadcast control center 150 then multiplexes the received digital information stream from data origination source 110 with digital  
10 information streams from other sources such as data origination source 113 and data origination source 115.

After processing the individual digital information streams and multiplexing the individual digital information streams into a single broadcast  
15 stream, the broadcast facility 150 then modulates the multiplexed digital information stream onto a digital broadcast signal. The broadcast control center 150 then transmits the digital broadcast signal on a broadcast distribution medium. In the particular embodiment illustrated in **Figure 1**, a terrestrial wireless broadcast system is used to broadcast the digital broadcast signal to a  
20 large number of receiving sites. However, it should be noted that many types of broadcast media can be used such as digital broadcast television signals, cable television signals, radio frequency broadcasts, direct video broadcast satellite signals, or any other suitable broadcast medium.

At each data broadcast receiver site is a data broadcast receiver system such as receiver 181 constructed to receive the digital broadcast signal. The receiver system 181 demodulates the digital broadcast signal to retrieve the multiplexed digital information stream. The receiver system 181 then examines the address portion of data packets and/or stream descriptor portions of each digital information stream to determine if the receiver system 181 is interested in a particular digital information stream. The receiver system 181 may be interested in a particular digital information stream if that digital information stream matches a set of preprogrammed interest parameters as defined by the receiver systems owner. The receiver system 181 may cache the matching digital information streams and/or directly output the matching digital information streams to one or more local client systems at the receiver system's site.

In one embodiment, the receiver system may distribute the output digital information streams in multicast Internet Protocol (IP) form on a local area network (LAN) if requested by any multicast subscribers on the LAN. For example, receiver system 184 receives and decodes the multiplexed broadcast signal. The receiver system 184 then rebroadcasts a subset of the received data onto an internal local area network (LAN) 130 such that the information stream is made available to client systems 131, 132, and 133. Furthermore, the receiver system 184 may cache the received digital information internally such that the information may be retrieved by the client systems at a later time.

## Terrestrial Digital Television Data Broadcast Distribution

One broadcast medium that may be used to broadcast digital information is the terrestrial digital television infrastructure that is currently being built out. In a terrestrial digital television based transmission system, the processed multiplexed information stream is broadcast on a digital television transmission system using the MPEG-2 transport protocol.

The cost of building and maintaining a terrestrial digital television transmission system is very high. It would therefore be very expensive to build a terrestrial digital television transmission system just for data broadcasting.

Instead, it would be desirable to share terrestrial digital television broadcast transmission capability with a terrestrial digital television broadcaster. Thus, the present invention introduces an embodiment that uses extra broadcast capacity on terrestrial digital television transmission systems to provide an inexpensive data broadcast transmission system. In a preferred embodiment, extra digital broadcast transmission capacity from more than one digital television broadcaster may be used to provide broadband data broadcasting.

**Figure 2a** illustrates a data broadcasting embodiment wherein the data broadcast control center **150** delivers MPEG-2 transport protocol encoded information streams to one or more terrestrial digital television broadcast centers **251, 252, and 253**. The terrestrial digital television broadcast centers (**251, 252, and 253**) merge the received MPEG-2 transport protocol encoded information streams into their ATSC (Advanced Television Standards Committee) digital television signals. The terrestrial digital television broadcast centers **251, 252,**



and 253 then broadcast the merged signal to all the receiver systems through their digital television transmission systems 261, 262, and 263. The receiver systems (181, 182, 183 . . .) receive the ATSC digital television signals and extract the desired digital information streams from the MPEG-2 transport stream. In such a multi-broadcaster embodiment, each receiver system (181, 182, 183 . . .) should have more than one receiver circuit such that multiple digital television broadcast centers (251, 252, and 253) can be monitored simultaneously.

Figure 2 illustrates a block diagram of the embodiment in Figure 1.

As illustrated in the block diagram of Figure 2, a multiplexing unit 257 must multiplex all of the processed digital information streams into a number of outgoing digital information streams equal to the number of broadcast stations being used. For example, in the example embodiment of Figures 2a and 2b, the multiplexing unit 557 must distribute the outgoing digital information stream to the three digital television broadcast stations 251, 252, and 253.

The individual digital television broadcast stations 251, 252, and 253 multiplex the data broadcast information in with their local digital television signal. The individual digital television broadcast stations 251, 252, and 253 may also multiplex in additional locally generated data broadcast content. For example, digital television broadcast stations 251 may create additional data broadcast formatted content with local advertisers and local news teams. These local content digital information streams provide additional data broadcast content to the data broadcast digital information streams. All of the receiver

systems (181, 182, 183 . . .) will receive the data broadcast signals from all the participating television broadcaster stations (251, 252, and 253).

Additional detailed information on a data broadcasting infrastructure that can use the teachings of the present invention is available in the co-pending patent application entitled "Method and Apparatus for Broadcasting Data With Access Control" having Serial Number \_\_\_\_\_, filed concurrently with this patent application and hereby incorporated by reference.

### **Data Broadcast Receiver Systems**

The receiver systems of the present invention receive data broadcast information and present that information to users of the receive system. In one embodiment, the data broadcast receiver systems receive the data broadcast streams and present that information to other client systems that display the received digital information. Such an embodiment is referred to as a wireless multimedia receiver/server device since multimedia information is received over a wireless medium and served to other client systems.

**Figure 3a** illustrates a first example usage of a wireless multimedia receiver/server device. In the embodiment of **Figure 3a**, a personal computer system 310 is coupled directly to a wireless multimedia receiver/server device 330. A number of different interface ports on computer system 310 may be used for such a connection. For example, a parallel data port, a Small Computer System Interface (SCSI), an Ethernet interface (using a cross-over cable), a

FireWire™ Bus (IEEE.1394), or a Universal Serial Bus (USB) interface may be used to couple computer system 310 to wireless multimedia receiver/server device 330. It is desirable to select the available computer interface having the highest data rate in order to efficiently deliver rich multimedia content from the multimedia receiver/server device 330 to the computer system 310.

The wireless multimedia receiver/server device is not limited to usage by personal computer systems. Figure 3b illustrates an example usage wherein a television set-top box 320 is coupled to a wireless multimedia receiver/server device 330. The television set-top box 320 may operate using standard Internet data communication protocols such as HyperText Transport Protocol (HTTP).

The wireless multimedia receiver/server device 330 may be used alone as illustrated in Figures 3a and 3b or in conjunction with a wired network connection. Figures 3c and 3d illustrate an application of a wireless multimedia receiver/server device 330 wherein the wireless multimedia receiver/server device 330 acts as an intermediary for an Internet connection. In such an embodiment, the wireless multimedia receiver/server device 330 may act as a proxy server for the Internet. In such an arrangement, the wireless multimedia receiver/server device 330 may provide many additional services such as local domain name service (DNS), web page caching, and email service. In a web page caching wireless multimedia receiver/server device 330, the broadcast control center may broadcast versions of very popular web pages to the wireless

multimedia receiver/server devices such that very popular web pages are immediately available.

The receiver systems can be used to provide service to multiple client systems at a receiver site. **Figure 4** illustrates a wireless multimedia receiver/server device **480** is coupled to a local area network (LAN) **450**. The local area network (LAN) **450** may be constructed using standard Ethernet technology, Token Ring technology, homerun™ home LAN technology, or any other existing or newly created computer network technology. In a computer network based embodiment, the wireless multimedia receiver/server device **480** may serve several client systems coupled to the local area network (LAN) **450**. For example, in **Figure 4** the multimedia receiver/server device **480** may serve multimedia information to client computer systems **462, 464, 466, and 468**.

#### **Data Broadcast Receiver/Server Hardware**

**Figure 5** illustrates one embodiment of a multimedia receiver/server device **500**. The multimedia receiver/server device **500** receives an encoded data stream through a receiver front-end receiver system **510**. The receiver front-end system **510** includes a signal reception system **505** for receiving a digital broadcast signal and accompanying receiver circuitry for demodulating digital broadcast signal received on the signal reception system **505**. The signal reception system **505** may be a Ku band satellite antenna, a terrestrial broadcast digital television antenna, a connection to a cable television

based digital signal distribution system, or any other appropriate system for receiving broadcast signals.

#### A Digital Video Broadcast Satellite Based Receiver Front-End

5           The multimedia receiver/server device 500 of **Figure 5** illustrates a satellite based digital video broadcast based receiver front-end system 510. In the digital video Broadcast based receiver front-end system 510, the signal reception system 505 may comprises a Ku Band satellite antenna system.

10           The Ku Band satellite signal reception system 505 includes a low-noise block converter (LNB) 507 that delivers a frequency converted signal an appropriate satellite band receiver circuitry 511. The satellite receiver circuitry 511 filters and amplifies the frequency range of the desired satellite signal. The satellite receiver circuitry 511 multiplies the filtered signal using a local oscillator  
15   to recover an in-phase (I) and quadrature (Q) version of the broadcast signal.

          The satellite receiver circuitry 511 passes the in-phase (I) and quadrature (Q) signals to an analog to digital (A/D) converter 515. The analog to digital (A/D) converter 515 digitizes the in-phase (I) and quadrature (Q)  
20   signals and passes the digitized signal information to transport decoder circuitry 517.

          The transport decoder circuitry 517 recovers the transmitted digital bit stream from the digitized in-phase (I) and quadrature (Q) signals. In one Ku  
25   band direct video broadcast satellite embodiment, the transport decoder circuitry

517 may includes a demodulator integrated circuit such as the OTI-8511 integrated circuit from Oak Technology of Sunnyvale, California. In such a DVB satellite based system, the OTI-8511 integrated circuit demodulates the in-phase (I) and quadrature (Q) signals to recover an MPEG-2 transport stream. The MPEG-2 transport stream is defined by the ISO standard defined in the document ISO/IEC 13818-1 titled "Information technology - Generic coding of moving pictures and associated audio information: Systems." Control circuitry in the transport decoder circuitry 517 may copy the MPEG-2 transport stream into an I/O memory system 520.

#### A terrestrial digital television based Receiver Front-End

Figure 6a illustrates a multimedia receiver/server device 600 that has a different receiver front-end receiver system. Specifically, Figure 6a illustrates a multimedia receiver/server device 600 with a terrestrial digital television based receiver front-end system 610. In particular, a terrestrial digital television based upon the American Television Standards Committee (ATSC) is illustrated. In the ATSC digital television based receiver front-end system 610, the signal reception system 605 comprises an antenna system suitable for receiving ATSC digital television signals.

The ATSC digital television signals are then processed by an ATSC digital television receiver circuit 611. As in the satellite embodiment of Figure 5, the receiver circuit 611 is used to recover an MPEG-2 transport stream. The MPEG-2 transport stream is then decoded by transport decoder circuitry 617. Since the same transport coding is used as disclosed in the preceding receiver

system, the same MPEG-2 transport stream decoder may be used to decode the signal to retrieve the MPEG-2 transport stream. The output MPEG-2 transport stream may then be placed into the I/O memory system 520.

5 As noted in the embodiments of **Figure 5** and **Figure 6a**, multiple different types of receiver systems can be constructed that used different front-end receiver systems. In this manner, slightly modified receiver systems can be built for each target market in order to take advantage of the best broadcast medium for that market. Specifically, ATSC terrestrial digital television front-end receiver systems, direct video broadcast satellite front-end receiver systems, and digital cable television front-end receiver systems can be built for ATSC terrestrial digital television markets, direct video broadcast markets, and digital cable television markets, respectively. With those three different types receiver systems, the same MPEG-2 transport systems is always used such that the same MPEG-2 transport signal can be used for all the different types of markets.

#### A Multiple Tuner Terrestrial Digital Television Receiver Front-End

As illustrated in **Figure 2a**, it may be desirable to aggregate the extra broadcast bandwidth available from a number of digital television broadcasters within a particular terrestrial broadcast television market. With such an arrangement as depicted in **Figure 2a**, the receiver systems should be able to receive all of the broadcast data signals. **Figure 6b** illustrates a multimedia receiver/server device 600 that includes multiple instances of the receiver front-end receiver system. Specifically, **Figure 6b** illustrates a multimedia receiver/server device 600 with multiple instances of the receiver

circuitry 611, the Analog to Digital circuitry 615, and the transport decoder circuitry 617. In this manner, multiple data broadcasts from multiple digital television broadcasters (251, 252, and 253) can be simultaneously received. With such a multiple receiver configuration, the aggregated bandwidth may exceed multiple megabytes per second.

### Receiver System Digital Information Stream Processing

Referring back to Figure 5, once the multiplexed digital stream is copied into the I/O memory system 520, the processor 540 of the receiver/server 500 performs additional processing of the digital stream. The processor 540 is part of a typical computer system arrangement that includes memory (memory 570 and I/O memory 520), long term storage 550, input/output devices (590, 541, 543, etc.), and a central processing unit (processor 540).

The processor 540 operates under the control of programs in the main memory 570. To share the computing resources of the digital receiver system 500, the processor 540 executes an operating system 571. The operating system 571 provides standard operating system features such as input/output abstraction, multitask scheduling, and memory management. The operating system allows the application software to easily access and use the resources of the computer system. In one embodiment of the present invention, the operation system 571 comprises a version of the Berkeley Standard Distribution (BSD) of the UNIX operating system. However, other operation systems can be used.



## Data Broadcast Receiver/Server Hardware

As illustrated in Figure 5, the multimedia receiver/server 500 may execute several application programs concurrently under the control of an operating system 571 to provide data broadcasting services to a user. The software of one embodiment of a multimedia receiver/server system will be disclosed with reference to Figures 5 and 7. However, many different multimedia receiver/server software architectures may be created.

Referring to Figure 7, a conceptual software architecture diagram of a multimedia receiver/server 700 is illustrated. The software architecture has been designed to process data broadcast information received through a receiver system 701 and present that data broadcast information to a user at a client system 799. A first step that is performed is parsing of the incoming digital information stream.

### Packet Extraction and Processing

Referring the conceptual diagram of Figure 7, a packet extraction and processing system 710 examines the multiplexed digital information stream received by the receiver system 701. The packet extraction and processing system 710 extracts network packets that may be of interest to the multimedia receiver/server system 700. Specifically, the packet processing system 710 identifies and extracts packets that are specifically addressed to the multimedia receiver/server system 700 and packets that have specific defined characteristics. In a preferred embodiment, the data packets are Internet Protocol (IP) packets.

Referring back to **Figure 5**, the packet processing is performed by one or more decoding, filtering, and decrypting applications 572. In one embodiment, these applications extract IP packets from MPEG-2 transport frames. The IP packet extraction may include such steps as forward error correction, decryption, and packet reassembly. Normally, not all of the packets in the multiplexed digital information stream will be extracted since many packets may be encrypted in a manner that cannot be decrypted by this unit, addressed to other entities, or otherwise inappropriate.

#### Packet Routing

Referring again to **Figure 7**, the extracted packets are passed to a packet routing system 730. The packet routing system 730 routes the received packets appropriate destinations. For example, certain system update packets may be addressed for delivery to a receiver/server update application 765. The receiver/server update application 765 may thereby receive information that allows automatic software updates to be performed on the multimedia receiver/server system 700. Packets may also be routed to a management application 741 that manages the operation of the multimedia receiver/server system 700. For example, encryption keys that may be used to decrypt certain digital information streams may be delivered to the management application 741 such that the management application 741 may receive encryption keys and other control parameters.

002240-1299560

The packet routing system 730 may route other data packets to one or more client systems coupled to the multimedia receiver/server system 700 through computer interface 790. Thus, it can be seen from Figure 7 that the multimedia receiver/server system 700 may forward data packets received from the data broadcast signal directly to client systems coupled to the multimedia receiver/server system 700. In such operations, the multimedia receiver/server system 700 acts as a packet router to deliver packets broadcast over a broadcast medium. One very useful application for this particular feature is using the multimedia receiver/server system 700 as a multicast router that can deliver multicast packets to any client or network coupled to the multimedia receiver/server system 700. For example, a stock ticker stream may be broadcast as a live multicast IP stream such that a stock trading application on client system 799 may directly receive and use real-time stock trading information.

Referring to Figure 5, the packet routing may be performed by a packet routing application 577. The routing application uses the services provided by the operating system 571 and device drivers 578 to deliver packets to the proper destinations.

#### Information Caching

As seen in the preceding section, the multimedia receiver/server system 700 can be used to immediately route packets received from the data broadcast signal. However, the multimedia receiver/server system 700 can also be used to provide very useful data services by locally caching information.

Referring to Figure 7, one or more caching applications 745 (data caching

application 573 in Figure 5) receives data packets from the packet routing system 730 and caches information from those packets into a file system 750.

In one embodiment, the caching application 745 may request to receive packets addressed to one or more designated multicast addresses that carries multimedia information and accompanying descriptors. The caching application 745 selectively captures multimedia information and stores that multimedia content information 753 in a file system 750. The caching application 745 may create multimedia information directory 755 such that the cached multimedia information may be quickly searched and accessed. The multimedia information may consist of anything that can be expressed in digital form including audio, video, text, web pages, and computer programs.

In one embodiment, each multimedia information stream is preceded by a multimedia descriptor. The multimedia descriptor describes the details of the upcoming multimedia stream. The caching application 745 can use the multimedia descriptor to determine if the upcoming multimedia stream should be cached or not. For example, in one embodiment the user defines a set of categories that the user finds interesting. These categories are stored in users preferences file 757. Then, the caching application 745 uses the multimedia descriptor information in conjunction with the set of user preferences 757 to select multimedia streams that contain news or information related to the defined set of user interests. The caching application 745 can use the multimedia descriptor to help build the multimedia directory 755.

The following list provides some of the information that may be provided in a multimedia descriptor:

Title: A title for the multimedia stream

Full Headline: A news headline that can be used to describe the multimedia stream in a web page.

Origination date/time: The time the stream was broadcast.

Suggested expiration: A suggested expiration time for the stream. A multimedia receiver/server may use the expiration time to determine when the stream should be deleted from the multimedia content cache 753.

Source: A source of the multimedia stream (Reuters, CNN, Associated Press, United Press International, etc.)

Multimedia Stream Format: Information that describes the protocol and format of the multimedia information stream.

Accompanying multimedia stream(s): Other related multimedia streams.

SDP descriptor: A session description protocol (SDP) as defined by the IETF RFC 2327 for the multimedia stream.

Importance: A relative importance value assigned to the multimedia stream. The Importance value may be used when created user displays such that highly important stories are listed first.

Categorization code: A detailed categorization value that defines the subject matter of the multimedia stream. The categorization code may be hierarchical. For example, a multimedia video clip about the Minnesota Vikings winning the Superbowl may be categorized as Sports/NFL/MN\_Vikings

Ticker Symbols: If the multimedia story is related to one or more publicly traded corporations, the ticker symbols of those corporations should be listed here. This field can be used to identify stories about a public corporation when performing investment research.

Searching keywords: A set of keywords that are associated with the multimedia stream. The searching keywords can be used to locate relevant multimedia streams when searching the multimedia content.

News Item HTML: A preformatted web page that can be used to introduce or accompany a multimedia stream.

News Item Text: Text that describes the multimedia stream.

As can be seen from the multimedia descriptor description, the caching application 745 is provided with a large number of fields that can be used to select interesting multimedia streams. Additional fields may be used to provide additional information about the multimedia streams.

5

The caching application 745 may also handle cache clean up. Specifically, old and outdated information should be removed from the file system 750 to conserve resources. The caching application 745 may use a number of different methods of selecting information to remove. One simple method of performing cache clean up is to remove cached items after their suggested expiration time has elapsed.

10

#### Information Serving

The multimedia receiver/server system 700 may present the cached multimedia information in a number of different ways. However, one of the most popular current methods of presenting information is in the form of World Wide Web (WWW) pages formatted in HyperText Markup Language (HTML) or eXtensible Markup Language (XML). One embodiment of the multimedia receiver/server system 700 uses a web page constructing application 760 to create WWW pages 759 that may be presented to client systems. (The web page constructing application is listed as web page building applications 576 in Figure 5.)

15

20

The web page constructing application 760 may continually examine the contents of the multimedia directory 755 and the multimedia

25

content 753 to locate information to be incorporated into web pages. In one embodiment, the caching application 745 directly informs the web page constructing application 760 about the multimedia streams that will be cached. In this manner, the web page constructing application 760 can incorporate the newly cached information into the web pages. Furthermore, the web page constructing application 760 can incorporate "live" information that is currently being received by referring to a multicast stream that contains the live stream. Similarly, the caching application 745 should inform the web page constructing application 760 about multimedia information being removed from the file system 750 such that the web page constructing application 760 can remove references to deleted information.

The web page constructing application 760 should create web pages in accordance with the user's particular preferences. Specifically, the web page constructing application 760 refers to the user preferences file 757 to create a custom multimedia enhanced web page that specifically contains information according to the user's preferences. In a multiple client environment, the web page constructing application 760 may create a different customized web page for each user that uses the multimedia receiver/server system 700.

A web server application 781 serves the created web pages 759 to client systems that request the web pages 759. (The web server application is listed as main server application 574 on Figure 5.) Due to the caching of rich multimedia information, the web server 781 may be aided by one or more file streaming applications 782 and 783. The file streaming applications 782 and 783

stream rich multimedia information such as videos and audio that may be incorporated into the customized web pages 759. Furthermore, the web pages may incorporate "live" streaming information that is delivered straight from the packet routing system 730. In this manner, video from live events can be incorporated directly into web pages.

Other methods of serving information besides using the World Wide Web protocols and formats may also be provided. For example, server 787 may provide raw file information to client systems the well-known Network File System (NFS). Server 787 could also be a File Transport Protocol (FTP) server. Other server applications that implement other protocols can also be implemented.

### A Data Broadcast News Application

To illustrate one type of service that may be provided by the data broadcast system of the present invention, an example of a data broadcast news application is disclosed. Referring to **Figure 7**, a user at a client system creates a set of preferences that describe the user's interests. The user preferences may be obtained by presenting a set of forms to the user with web server 781. The forms can be processed by Common Gateway Interface (CGI) scripts that store the user's preferences into user preferences file 757. For example, a user may specify that he is interested in top news stories, sports information, financial information, and science & technology information.



Using the user interests in the user preferences file 757, the data caching application 745 begins collecting multimedia streams and multimedia descriptors broadcast over the data broadcast system. The caching application 5 745 creates a multimedia directory 755 using multimedia descriptor information. The caching application 745 may directly inform the web page constructing application 760 about the information streams that are being cached.

The web page constructing application 760 then uses the user 10 preference information 757 along with multimedia descriptor information from the caching application 745 or from the multimedia directory 755 to create a customized multimedia enhanced web page for the user. **Figure 8** illustrates one possible example of a customized new web page created for the example user that is interested in top news stories, sports information, financial information, 15 and science & technology information.

As depicted in **Figure 8**, the top news stories related to the user's interests are displayed in headline form. Furthermore, a multimedia video clip stream related to the most important news story within the user's interests is 20 playing within a window of the web page display. The user can control the video clip using common VideoCassette Recorder (VCR) type controls such as play, stop, fast-forward, reverse, and mute. A video window as depicted in **Figure 8** may be implemented using a RealVideo viewer from RealNetworks of Seattle, Washington or a NetShow viewer from Microsoft Corporation of 25 Redmond, Washington. If the user is very interested in the story playing within

the selected video clip, the user can expand the video to fill the full screen of the client system. The user may also retrieve other information related to the displayed video clip.

5                   If the user is not interested in the video clip currently being displayed, the user can select one of the other headlines to bring up information on that story. The information may consist of a video clip, an audio clip, a web page, a text story, or any other digital information presentation.

10                   The news web pages of the present invention can be created in typical hierarchical organization that is familiar to most computer users. **Figure 9** illustrates a conceptual diagram of a set of hierarchical web pages that have been created using the user's preferences and the available multimedia information. Thus, referring back to **Figure 8**, if the user is not interested in the  
15 video clip currently being displayed or any of the current headlines, the user can select one of the different headline categories. The web server will then present a web page with specific category information.

                  In one embodiment, the user can select one of the headlines in a  
20 story to bring up a web page with additional stories in that category and detailed information about the selected story. For example, if the user selects the "NJ Devils trade Star Wing" headline the Sports news web page illustrated in **Figure 10** may be presented. As illustrated in **Figure 10**, a video clip of the hockey player trade is displayed. Furthermore, the web page displays sports related  
25 news as a list of sports headlines. In the example of **Figure 10**, the sports

category sub-categories of NFL Headlines, NBA headlines, NHL headlines, and Other Sports Headlines are displayed.

### Searching

5                   The multimedia receiver/server system 700 can be used to provide custom web pages created in response to a user's query. For example, **Figure 10** illustrates a search term input box wherein a user may enter one or more search terms. More detailed searching can be performed by selecting the "search" prompt. As illustrated in **Figure 10**, a user has requested a search to be performed using the term "Geocast." Referring back to **Figure 7**, the web page construction application 760 uses the entered search term to search the multimedia directory 755. Furthermore, the web page construction application 760 may examine descriptor information for multimedia streams currently being received such that "live" content may be incorporated.

15                   Using the located information that is related to the search terms, the web page construction application 760 dynamically creates a web page that may be presented to the user. **Figure 11** illustrates an example of a web page that may be created after searching the multimedia directory 755 with the search term "Geocast". As illustrated in **Figure 11**, the dynamically generated web page contains a list of headlines from stories or multimedia streams related to the search term. The detailed information from most important story may be presented in a separate window as illustrated in **Figure 11**. In this example, the multimedia information is a short text story with an accompanying audio stream of an official company announcement. Furthermore, the web page construction

application 760 may include information from stories or multimedia information that may be related to the search terms.

In one embodiment wherein the multimedia receiver/server system 700 is coupled to the Internet, the web page construction application 760 may also include information retrieved from the Internet. Thus, the multimedia receiver/server system 700 can be used to merge multimedia information received over the data broadcast network with information retrieved from the Internet into a single display.

### **A Data Broadcasting Service**

As disclosed, the present invention teaches methods and apparatus for implementing a broadband data broadcast system. The broadband data broadcast system allows rich multimedia information to be delivered to end-users that have narrowband or even no connection to the Internet. The broadband data broadcast system can be used to create a broadband data broadcast information service.

In one embodiment, the broadband data broadcast information service operates by selling multimedia receiver/server devices to consumers that desire service. The consumers connect their multimedia receiver/server devices to appropriate client systems such as personal computers, television set-top boxes, and home networks.



example, an advertisement for a catalog based clothing merchant can be linked to a full version of the merchant's clothing catalog stored locally on the multimedia receiver/server device 700. Advertisers that desire to have large commercial documents such as product catalogs stored within the cache of the multimedia receiver/server systems could be charged a fee for such a privilege. The fee may be related to the amount of time that the commercial documents will be cached in the multimedia receiver/server device 700.

The user can browse the locally stored clothing catalog and select items for purchase. If the user has an Internet connection, the user can fill out an order form to order an item from the catalog. The broadband data broadcast capability of the present invention allows the catalog to include far more detailed information than normally presented on an Internet web page. Furthermore, the caching capability of the system allows all the catalog information to be stored locally for immediate and instantaneous access. Thus, it can be seen that the data broadcast service of the present invention provides the rich multimedia experience of radio and television along with the interactive browsing features of the Internet.

As depicted in **Figures 3a and 3b**, not all users of the multimedia receiver/server system of the present invention will have an Internet "back channel." Thus, a user without an Internet connection that browses a product catalog contained within the multimedia receiver/server system cannot initiate an Internet based ecommerce transaction. For such users, **Figure 5** illustrates one embodiment of the present invention that includes wireless network circuitry 543

for providing a wireless back channel. For example, a contract may be made with a cellular telephone provider to obtain access to the Short Messaging Service (SMS) portion of their cellular telephone network. The wireless network circuitry 543 may provide significant bandwidth to enable complex transactions such as online gaming, however the wireless network circuitry 543 need only provide a narrowband connection for ecommerce applications such as purchase orders.

In addition to advertiser supported content, a number of subscription fee based premium services can be offered using the directed broadcast system of the present invention. For example, a special financial information subscription package may be offered that contains real-time stock quotes and in-depth financial news. Such subscription fee based premium data broadcast services would be protected by encrypting the digital information streams containing the premium content. To prevent piracy, the encryption system can be aided with the use of tamper-proof encryption circuitry 545 as depicted in Figure 5. The tamper-proof encryption circuitry 545 contains private keys that cannot be accessed. Attempts to access the secret encryption keys within the encryption circuitry 545 will destroy the encryption circuitry 545. In one embodiment, the secure encryption module 870 comprises an iButton from Dallas Semiconductor of Dallas, Texas.

The foregoing has described a directed data broadcast system. It is contemplated that changes and modifications may be made by one of ordinary





## CLAIMS

We claim:

1                   1.     A multimedia receiver apparatus, said apparatus  
2 comprising:  
3           a wireless receiver circuit, said wireless receiver demodulating a wireless  
4           encoded digital multimedia signal having a plurality of multimedia  
5           streams;  
6           a processor, said processor selecting and extracting a subset of multimedia  
7           streams of said plurality of multimedia streams;  
8           a long term storage device, said processor caching a subset of information  
9           from said subset of multimedia streams into said long term storage  
10          device; and  
11          a computer network interface, said computer network interface for  
12          selectively outputting information from said subset of multimedia  
13          streams.

1                   2.     The apparatus of claim 1 wherein said wireless encoded  
2 digital multimedia signal comprises a satellite broadcast signal.

1                   3.     The apparatus of claim 1 wherein said wireless encoded  
2 digital multimedia signal comprises a terrestrial digital television broadcast  
3 signal.

002240-1299560

1                   4.     The apparatus of claim 1 wherein each multimedia stream  
2 comprises Internet Protocol packets.

1                   5.     The method of claim 1 wherein said wireless encoded digital  
2 multimedia signal comprises MPEG-2 transport protocol.

1                   6.     The apparatus of claim 5 wherein each multimedia stream  
2 comprises Internet Protocol packets encapsulated within said MPEG-2 transport  
3 protocol.

1                   7.     The apparatus of claim 1 wherein said wireless receiver  
2 circuit comprises an ATSC digital television receiver circuit.

1                   8.     The apparatus of claim 1 wherein said wireless receiver  
2 circuit comprises an ATSC digital television receiver circuit.

09560674.042700  
002240" 12909560

1           9.     The apparatus of claim 1 wherein said wireless receiver  
2 circuit comprises a direct video broad satellite receiver circuit.

1           10.    The apparatus of claim 1 wherein said wireless receiver  
2 circuit comprises a digital cable television receiver circuit.

1           11.    The apparatus of claim 1 wherein said processor outputs  
2 information from said subset of multimedia streams in a World Wide Web  
3 format.

1           12.    A method of generating revenue, said method comprising:  
2 distributing a plurality of data broadcast receiver systems, said data  
3 broadcast receiver systems comprising  
4 receiver circuitry for demodulating and decoding an encoded  
5 digital information signal,  
6 cache for storing multimedia information from said encoded digital  
7 information signal, and  
8 interface circuitry for coupling a receiver system to a client system  
9 to output said multimedia information to said client system ;  
10 receiving a broadcast and retention fee from an entity desiring to  
11 distribute designated digital information; and



9 receiving data information from said wired network into said data  
10 broadcast receiver system; and  
11 presenting a unified data service to a client computer system coupled to  
12 said data broadcast receiver system that comprises said subset of said  
13 popular multimedia streams cached on said receiver system and said  
14 data information retrieved from said wired network.

1 16. The method of distributing data as claimed in claim 15  
2 wherein said wired network comprises the Internet.

1 17. The method of distributing data as claimed in claim 15  
2 wherein said data information from said wired network comprises information  
3 from an Internet portal site.

1 18. The method of distributing data as claimed in claim 15  
2 further comprising:  
3 receiving in data broadcast receiver system a query from said client  
4 system;  
5 searching said cache for matching multimedia streams that match said  
6 query;  
7 searching a server system coupled to said wired network for matching  
8 data information that matches said query; and

9 presenting a query response from said data broadcast receiver system to  
10 said client system that comprises said matching multimedia streams  
11 and matching data information.

1 19. The method of claim 15 further comprising:  
2 encrypting each digital information stream.


1 20. A data broadcast system, said data broadcast system  
2 comprising:  
3 An MPEG-2 transport stream based data broadcast control center, said  
4 MPEG-2 transport stream based data broadcast control center creating  
5 a MPEG-2 transport stream based data broadcast stream;  
6 Digital cable television based data broadcast receiver for receiving said  
7 MPEG-2 transport stream in digital cable television markets; and  
8 An ATSC terrestrial digital television broadcast based data broadcast  
9 receiver for receiving said MPEG-2 transport stream in ATSC  
10 terrestrial digital television broadcast markets.




## ABSTRACT OF THE DISCLOSURE

A broadband data broadcast system that allows rich multimedia content to be delivered to a plurality of subscribers is disclosed. The broadband data broadcast system operates by multiplexing a plurality of rich multimedia digital information streams together at a centralized data broadcast center. The data broadcast center then broadcasts the multiplexed digital information stream on a broadcast medium such as satellite broadcasts, radio frequency broadcasts, or digital television broadcasts. A large number of receiver systems receive the broadcast signal and demodulate the broadcast signal to retrieve the multiplexed digital stream. The receiver system extracts a subset of digital information streams that the particular receiver system's owner has designated are of interest. The receiver system caches the interesting digital information stream for later access. The receiver system outputs the interesting digital information streams to a client system upon demand. The receiver system may also stream an incoming digital information stream to a client as the stream is received.













**Figure 2b**




**Figure 3c**




**Figure 3b**




**Figure 3d**




**Figure 4**




12112111






**Figure 6a**



**Figure 6b**











## Top Sports Headlines

## Personal News On-Demand

- MN Vikings win Superbowl!
- NJ Devils trade star wing
- 2008 Olympics in Beijing
- Michael Jordan Coaches Lakers
- Mexico team joins MLB

## NFL Headlines


- MN Vikings defeat 49ers
- Cunningham surprises critics
- MN fans celebrate 1st victory
- 49er fans stunned by loss

## NBA Headlines

- Michael Jordan Coaches Lakers
- NJ Nets defeat Celtics
- Utah Jazz star Smith arrested
- Clippers to leave LA

## NHL Headlines

- NJ Devils trade star wing  
•Oilers defeat Blackhawks



## Other Sports Headlines

- 2008 Olympics in Beijing
- Michael Jordan Coaches Lakers
- Mexico team joins MLB
- Tennis Legend Passes away at 80
- AL debates designated hitter rule

### Local Information

**News Weather Traffic Sports Entertainment**

**Search:**

## Geocast

## Figure 10

## Personal News On-Demand

## Search Result Headlines

- AOL and Geocast form joint venture
- Geocast celebrates 2 million customers
- AOL and Geocast talks rumored
- No Geocast comment on AOL talks
- Wireless fulfills broadband promises
- Geocast stock hits new high

### Possible Related Headlines

- AOL joins DOW Index
- Pointcast generates new strategy
- Digital Television sales soar
- E! to generate data broadcast content

## Internet Headlines

- AOL and Geocast joint venture announced
- Geocast hits 2 million customer mark
- Rumor: AOL and Geocast?
- Geocast stock soars in tech stock rally



## AOL/Geocast Announcement

**Geocast and AOL form joint Venture -**  
(Mountain View, California) - Geocast and on-line giant America Online (AOL) announced a joint venture to distribute rich multimedia information to AOL's customers using Geocast's Geobox wireless broadband data broadcasting service. The joint venture will allow AOL customers to enjoy rich multimedia content delivered without the delays associated with traditional computer networks. Yada yada yada yada yada . . .

### Local Information

**News Weather Traffic Sports Entertainment**

**Search:**

## Figure 11

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**A Broadband Data Broadcasting Service**

the specification of which

XX is attached hereto.  
XX was filed on April 16, 1999 as  
 United States Application Number 09/293,594  
 or PCT International Application Number \_\_\_\_\_  
 and was amended on \_\_\_\_\_  
 (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>			<u>Priority Claimed</u>	
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<u>Yes</u>	<u>No</u>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<u>Yes</u>	<u>No</u>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<u>Yes</u>	<u>No</u>

I hereby claim the benefit under title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

\_\_\_\_\_  
(Status -- patented,  
pending, abandoned)

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

\_\_\_\_\_  
(Status -- patented,  
pending, abandoned)

I hereby appoint, Dag H. Johansen, Reg. No. 36,172; my patent agent, with offices located at 100 Independence Drive, Menlo Park, CA 94025, telephone (650) 566-8111, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to Dag H. Johansen, 100 Independence Drive, Menlo Park, CA 94025 and direct telephone calls to Dag H. Johansen, (650) 566-8111.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor Tsutomu Shimomura

Inventor's Signature 

Date

24 May 1999

Residence Incline Village, NV

(City, State)

Citizenship Japan

(Country)

Post Office Address 318 Ski Way Blvd.

Incline Village, NV 89450

Full Name of Second/Joint Inventor Steve Waltman

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_  
\_\_\_\_\_

Full Name of Third/Joint Inventor Mark Peting

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence Tigard, OR \_\_\_\_\_ Citizenship U.S.A. \_\_\_\_\_  
(City, State) (Country)

Post Office Address 13981 SW Aerie \_\_\_\_\_  
Tigard, OR 97224 \_\_\_\_\_

Full Name of Fourth/Joint Inventor Castor Fu

Inventor's Signature [Signature] \_\_\_\_\_ Date May 24, 1999 \_\_\_\_\_

Residence Menlo Park, California \_\_\_\_\_ Citizenship USA \_\_\_\_\_  
(City, State) (Country)

Post Office Address 1508 San Antonio St #F, Menlo Park, CA 94025 \_\_\_\_\_  
\_\_\_\_\_

Full Name of Fifth/Joint Inventor Dag H. Johansen

Inventor's Signature [Signature] \_\_\_\_\_ Date 5/25/99 \_\_\_\_\_

Residence Palo Alto, CA \_\_\_\_\_ Citizenship U.S.A. \_\_\_\_\_  
(City, State) (Country)

Post Office Address 335 Middlefield \_\_\_\_\_  
Palo Alto, CA 94301 \_\_\_\_\_

Full Name of Sixth/Joint Inventor Geoff Mulligan

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_  
\_\_\_\_\_



Title 37, Code of Federal Regulations, Section 1.56  
Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
  - (i) Opposing an argument of unpatentability relied on by the Office, or
  - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
  - (2) Each attorney or agent who prepares or prosecutes the application; and
  - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**A Broadband Data Broadcasting Service**

the specification of which

XX is attached hereto.  
XX was filed on April 16, 1999 as  
 United States Application Number 09/293,594  
 or PCT International Application Number \_\_\_\_\_  
 and was amended on \_\_\_\_\_  
 (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>			<u>Priority Claimed</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	_____	_____
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	_____	_____
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	_____	_____

I hereby claim the benefit under title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below

Filing Date

Filing Date

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Status — patented,  
pending, abandoned)

(Status — patented,  
pending, abandoned)

I hereby appoint, Dag H. Johansen, Reg. No. 36,172; my patent agent, with offices located at 100 Independence Drive, Menlo Park, CA 94025, telephone (650) 566-8111, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to Dag H. Johansen, 100 Independence Drive, Menlo Park, CA 94025 and direct telephone calls to Dag H. Johansen, (650) 566-8111.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Full Name of Sole/First Inventor** Tsutomu Shimomura

**Inventor's Signature** \_\_\_\_\_ **Date** \_\_\_\_\_

Residence Incline Village, NV Citizenship Japan  
(City, State) (Country)

Post Office Address 318 Ski Way Blvd.  
Incline Village, NV 89450



Title 37, Code of Federal Regulations, Section 1.56  
Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
  - (i) Opposing an argument of unpatentability relied on by the Office, or
  - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
  - (2) Each attorney or agent who prepares or prosecutes the application; and
  - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

A Broadband Data Broadcasting Service

the specification of which

     is attached hereto.  
XX was filed on April 16, 1999 as  
 United States Application Number 09/293,594  
 or PCT International Application Number                       
 and was amended on                       
 (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>			<u>Priority Claimed</u>	
<u>                    </u> (Number)	<u>                    </u> (Country)	<u>                    </u> (Day/Month/Year Filed)	<u>    </u> Yes	<u>    </u> No
<u>                    </u> (Number)	<u>                    </u> (Country)	<u>                    </u> (Day/Month/Year Filed)	<u>    </u> Yes	<u>    </u> No
<u>                    </u> (Number)	<u>                    </u> (Country)	<u>                    </u> (Day/Month/Year Filed)	<u>    </u> Yes	<u>    </u> No

I hereby claim the benefit under title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

\_\_\_\_\_  
(Status -- patented,  
pending, abandoned)

\_\_\_\_\_  
(Application Number)

\_\_\_\_\_  
Filing Date

\_\_\_\_\_  
(Status -- patented,  
pending, abandoned)

I hereby appoint, Dag H. Johansen, Reg. No. 36,172; my patent agent, with offices located at 100 Independence Drive, Menlo Park, CA 94025, telephone (650) 566-8111, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to Dag H. Johansen, 100 Independence Drive, Menlo Park, CA 94025 and direct telephone calls to Dag H. Johansen, (650) 566-8111.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor Tsutomu Shimomura

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence Incline Village, NV Citizenship Japan  
(City, State) (Country)

Post Office Address 318 Ski Way Blvd.  
Incline Village, NV 89450


Full Name of Second/Joint Inventor Steve Waltman

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_

Full Name of Third/Joint Inventor Mark Peting

Inventor's Signature  Date 5-26-1989

Residence Tigard, OR Citizenship U.S.A.  
(City, State) (Country)

Post Office Address 13981 SW Aerie  
Tigard, OR 97224

Full Name of Fourth/Joint Inventor Castor Fu

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_

Full Name of Fifth/Joint Inventor Dag H. Johansen

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence Palo Alto, CA Citizenship U.S.A.  
(City, State) (Country)

Post Office Address 335 Middlefield  
Palo Alto, CA 94301

Full Name of Sixth/Joint Inventor Geoff Mulligan

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_



Title 37, Code of Federal Regulations, Section 1.56  
Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

(1) Prior art cited in search reports of a foreign patent office in a counterpart application, and

(2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

(1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or

(2) It refutes, or is inconsistent with, a position the applicant takes in:

(i) Opposing an argument of unpatentability relied on by the Office, or

(ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

(1) Each inventor named in the application;

(2) Each attorney or agent who prepares or prosecutes the application; and

(3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**A Broadband Data Broadcasting Service**

the specification of which

XX is attached hereto.  
XX was filed on April 16, 1999 as  
 United States Application Number 09/293,594  
 or PCT International Application Number \_\_\_\_\_  
 and was amended on \_\_\_\_\_  
 (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Prior Foreign Application(s)</u>			<u>Priority Claimed</u>	
<u>(Number)</u>	<u>(Country)</u>	<u>(Day/Month/Year Filed)</u>	<u>Yes</u>	<u>No</u>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<u>Yes</u>	<u>No</u>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<u>Yes</u>	<u>No</u>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<u>Yes</u>	<u>No</u>

[illegible]

Filing Date

Filing Date

Filing Date

Filing Date

I hereby appoint, Dag H. Johansen, Reg. No. 36,172; my patent agent, with offices located at 100 Independence Drive, Menlo Park, CA 94025, telephone (650) 566-8111, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to Dag H. Johansen, 100 Independence Drive, Menlo Park, CA 94025 and direct telephone calls to Dag H. Johansen, (650) 566-8111.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Inventor's Signature**

Date \_\_\_\_\_

Citizenship Japan

(Country)

Incline Village, NV 89450

Full Name of Second/Joint Inventor Steve Waltman

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_  
\_\_\_\_\_

Full Name of Third/Joint Inventor Mark Peting

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence Tigard, OR Citizenship U.S.A.  
(City, State) (Country)

Post Office Address 13981 SW Aerie  
Tigard, OR 97224

Full Name of Fourth/Joint Inventor Castor Fu

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence \_\_\_\_\_ Citizenship \_\_\_\_\_  
(City, State) (Country)

Post Office Address \_\_\_\_\_  
\_\_\_\_\_

Full Name of Fifth/Joint Inventor Dag H. Johansen

Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_

Residence Palo Alto, CA Citizenship U.S.A.  
(City, State) (Country)

Post Office Address 335 Middlefield  
Palo Alto, CA 94301

Full Name of Sixth/Joint Inventor Geoff Mulligan

Inventor's Signature Geoff Mulligan Date 6/25/99

Residence Co Springs CO Citizenship USA  
(City, State) (Country)

Post Office Address 2175 Cloverdale Dr  
Co Springs CO 80120

Title 37, Code of Federal Regulations, Section 1.56  
Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

(1) Prior art cited in search reports of a foreign patent office in a counterpart application, and

(2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

(1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or

(2) It refutes, or is inconsistent with, a position the applicant takes in:

(i) Opposing an argument of unpatentability relied on by the Office, or

(ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

(1) Each inventor named in the application;

(2) Each attorney or agent who prepares or prosecutes the application; and

(3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.